| The result of your examination was: |
|-------------------------------------|
| |
| |
| |
| |
| |
| |
| Follow up details: |
| |
| |
| |
| |
| |
| |

Contact Information

If you have any queries once you are home or experience any difficulties, please contact:

Endoscopy Units

University Hospital Hairmyres 01355 585648 (8am - 8pm)

University Hospital Monklands 01236 712063 (8am - 6.30pm)

University Hospital Wishaw 01698 366465 (8am - 7pm)

Please use these numbers for up to 48 hours following your procedure. Thereafter (and out of hours) please contact either your own General Practitioner (GP) or NHS 24 - Tel 111

If your symptoms are severe then please go directly to your nearest Accident and Emergency (A&E) Department.



www.careopinion.org.uk

If you need this information in another language or format, please e-mail: Translation. Services@lanarkshire.scot.nhs.uk

Aug 2023 Pub. date: Aug 2025 Review date: 05 Issue No: Dept: Day Surgery Clinical Lead:





Discharge advice following Endoscopic Retrograde Cholangio-Pancreatiogram (ERCP)



Design - Medical Illustration, NHS Lanarkshire

| Name: |
|--------------------|
| Date of Procedure: |

The procedure you have had today was an Endoscopy which was carried out by:

FOLLOWING YOUR PROCEDURE

If you have been given sedation it will take several hours for the effects to wear off completely. Therefore, you must have a responsible adult to collect you and remain with you over the next 24 hours.

YOU MUST NOT:

- drive a vehicle or bicycle;
- operate machinery or domestic appliances;
- drink alcohol:
- be solely responsible for children or babies:
- take sleeping tablets; or
- sign any important documents until the day after your procedure.

YOU MAY:

- You may resume your normal diet (unless otherwise indicated).
- You may resume your normal medication (unless otherwise indicated).

WHAT TO EXPECT FOLLOWING YOUR PROCEDURE

- 1) During the examination gas has been blown into your stomach. This may cause some slight discomfort or bloating but should settle within a few hours.
- 2) Your throat may feel tender for a few hours but should settle quickly. Throat sweets may help.
- 3) Problems following this type of examination are rare, however if you experience any of the following:
 - severe pain or vomiting
 - passage or vomiting of blood
 - high temperature
 - swelling, tenderness or redness at the injection site then contact the Endoscopy Unit you attended
 - then please seek medical advice (see the contact numbers on the back page of this leaflet).