

Intranasal diamorphine

Information for patients



Your child has been given a drug called diamorphine. This is because they have sustained an injury which needed stronger pain relief than the normal medicines we give children such as paracetamol and ibuprofen.

The diamorphine medicine has been given through their nose (intranasal).

This is used in place of an injection, but the medicine will start working as quickly and effectively as an injection of diamorphine.

Not all children who have been given intranasal diamorphine will need to stay in hospital. Your child has had this medicine and undergone a period of observation by nursing and medical staff. Your child will only be allowed home when deemed fit by the nursing and medical staff.

At Home

Make sure you have a supply of normal medicine such as paracetamol or ibuprofen for use at home. Very often, children do not need any stronger treatment than this once a plaster has been applied to a broken bone or the injury has been treated.

Side-effects

It is normal for your child to feel sleepy after having intranasal diamorphine.

Other side effects such as feeling sick, or being sick are very unusual.

Emergency Department

University Hospital Hairmyres
01355 584716

University Hospital Monklands
01236 712191

University Hospital Wishaw
01698 366630

NHS 24: 111

NHS Lanarkshire - for local services and the latest health news visit www.nhslanarkshire.scot.nhs.uk
NHS Lanarkshire General Enquiry Line: 0300 30 30 243

NHS inform - The national health information service for Scotland.
www.nhsinform.org
Tel No: 0800 22 44 88

If you need this information in another language or format, please e-mail: Translation.Services@lanarkshire.scot.nhs.uk



www.careopinion.org.uk

Pub. date:	December 2023
Review date:	December 2025
Issue No:	06
Clinical Lead:	